

HRODC Ltd.



HRODC Ltd QUOTATION

***** Company

With Kindest Regards,

A stylized, handwritten signature in gold ink, consisting of several overlapping loops.

Prof. Dr. R. B. Crawford
Chief Executive



<i>Wolverhampton (HQ)</i>	HRODC Ltd.	<i>London Office</i>
122A Bhylls Lane, Wolverhampton, WV3 8DZ, UK Telephone: +44 (0) 1902 763 607 +44 (0) 1902 569133 Mobile: +44 (0) 7736 147507 E-mail:consult@hrod-consultancy.com sales@hrod-consultancy.com Website: http://www.hrod-consultancy.com		328 Linen Hall, 162-168 Regent Street, London. W1B 5TD, UK Tel: +44 (0) 20 84809628 Mobile: +44 (0) 7736 147507 E-mail:consult@hrod-consultancy.com sales@hrod-consultancy.com Website: http://www.hrod-consultancy.com
Human Resource and Organisational Development Consultancy (HRODC) Ltd.		

HRODC Ltd QUOTATION

To:	
Quotation #	
Req. Ref.	NA
Date Issued:	April 10, 2008
Validity Period:	30 Days
Prepared By:	Ms. Amani Abu Zeineh
Number of Pages:	

HRODC Ltd – Legal Parameter

Human Resource and Organisational Development Consultancy (HRODC) Ltd is Registered in England, with Registration Number 6088763. Its VAT Registration is: 8958 765 38. It is directly accountable to, and monitored by, several government agencies, including Companies House, an Executive Agency of the Department for Business, Enterprise and Regulatory Reform (BERR). All 'Offices' of HRODC Ltd, including National Representatives are subject to public scrutiny and transparency. Its Registered Office is 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK, with Office in London UK. It has National Representatives in Nigeria, Ghana, Cameroon, United Arab Emirates (UAE), Kingdom of Saudi Arabia, among others. Prof. Dr. R. B. Crawford, PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P. is its Chief Executive.

Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.



V.A.T. # 8958 765 38

Quotation

Row No.	Product or Service	Product/ Service #	Short Description	Quantity	Unit Price	Total Cost US\$
1.	Solvent Printer	HRODC_SP1.1	* HRODC_SP1.1 - Solvent Printer	1	\$23,000.00	\$23,000.00
2.	Solvent Printer	HRODC_SP1.2	* HRODC_SP1.2 - Solvent Printer	1	\$25,000.00	\$25,000.00
3.	Solvent Printer	HRODC_SP1.3	* HRODC_SP1.3 - Solvent Printer	1	25,500.00	25,500.00
4.	Solvent Printer	HRODC_SP2	* HRODC_SP2 - Solvent Printer	1	\$26,000.00	\$26,000.00
5.	Solvent Printer	HRODC_SP3.1	* HRODC_SP3.1 - Solvent Printer	1	\$23,600.00	\$23,600.00
6.	Solvent Printer	HRODC_SP3.2	* HRODC_SP3.2 - Solvent Printer	1	\$24,600.00	\$24,600.00
7.	Solvent Printer	HRODC_SP3.3	* HRODC_SP3.3 - Solvent Printer	1	\$25,600.00	\$25,600.00
8.	Solvent Printer	HRODC_SP3.4	* HRODC_SP3.4 - Solvent Printer	1	\$26,600.00	\$26,600.00
Subtotal		Excludes Carriage Insurance				
Carriage		Free International-Port-To-Port Delivery				
V.A.T.		Europeans Only. None will be charged.				
Grand Total						
Payment Terms		<ol style="list-style-type: none"> At least 50% of the cost of each machine, in excess of US\$40,000.00 requires a deposit of 50% by Telegraphic Transfer (TT) or bank counter credit, at the time of order. The remaining 50%, by Irrevocable Letter of Credit (ILC), is required one week before shipment of the complete item. 100% of the cost of items costing up to US\$40,000.00 is required at the time of order. 				



Product Description

Start of HRODC_SP1 - Solvent Printer Description



General Specification

MODEL	HRODC_SP1.1	HRODC_SP1.2	HRODC_SP1.3
Print Tech	Piezo Continuous Drop-on Demand(DOD)		
Print Head	12XJ-128/200Plus Or 12XJ-128/360Plus		
Print resolution	360*740dpi/720*740dpi		
Printhead clearance	3mm 5mm		
Image size	2.50m/8.20ft	3.20m/10.49ft	3.20m/10.49ft
Media size	2.55m/8.36ft	3.25m/10.66ft	3.25m/10.66ft
Printing speed	HRODC_SP1.1= 4pass (360*740dpi) 22sq.m/h,8pass (720*740dpi) 11sq.m/h HRODC_SP1.2/ HRODC_SP1.3 = 2pass (360*370dpi) 28sq.m/h,4pass (360*740dpi) 14sq.m/h		
Ink type	Solvent: C,M,Y,K or C,M,Y,K(Lc,Lm)		
Media type	PVC banner, Vinyl, Coating Film, Mesh and Etc		
Media transmission	Roll to Roll		
Interface	PCI high speed card USB Option		
Rip software	PhotoPrint DX or ColorPrint PS2.0		
Heating system	Front and back heater equipped		

Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.

4



V.A.T. # 8958 765 38

MODEL	HRODC_SP1.1	HRODC_SP1.2	HRODC_SP1.3
Auto.take-up And Feeding system	Equipped		
Ventilation system	Option		
Packing Size (W X D X H)	3.70×0.88×1.45m (12.14X2.89X4.76ft)	4.4×0.88×1.45m (14.44x2.89x4.76ft)	4.4×0.88×1.45m (14.44x2.89x4.76ft)
G./Weight	532kg/1172.84lbs	616kg/1358.02lbs	616kg/1358.02lbs
Power requirement	110V/220V±10%,>10A,50/60HZ		
Environment	Temperature:20°C□ 25°C, Humidity:40%□ 70%RH		

End of HRODC_SP1 - Solvent Printer Description



Start of HRODC_SP2 - Solvent Printer Description



Printing, Improve working efficiency entirely.

General Description	
Print head item	Piezo electric print-heads XAAR360/128
Resolution	740dpi
Print width	3.2M
Print speed (high quality)	24 m2/h (6pass) 28 m2/h (4pass) 36 m2/h (3pass) 48 m2/h (2pass)
Number of print heads	12
Ink type	Solvent ink C, M, Y, K
Ink delivery system	Force pump is capable for ink supply
Ink monitor system	auto-delivery or manual, feed, annunciating lacking ink
Media type	Normal PVC banner. vinyl, coating film ect
Print mode	Uni/bi-direction
Interface	PCI Card
RIP Software	Maintop
Weight	320KG
Machine size	4.3M×0.8M×1.2M
Operation environment	Power supply: single phase 50HZ 220V(±10)
Temperature	19-25°C
Humidity	40% -70%
Packing	Wooden case

Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.

6



V.A.T. # 8958 765 38

HRODC_SP2 Technical Function and Feature

1. Adopt AAR360/128 print head of England. Print speed reaches 40m²/h;
2. Real model 740dpi, the picture of length inside is equally gorgeous;
3. Adopt auto medium-feeding system, equipped with infrared ray level inductor can avoid material fold. Ensure operation smooth and accurate and protect print head in effect;
4. Use print-head's auto sucking and cleaning devices can avoid the block at nozzle;
5. The latest ink supplying system and sub-ink box guarantee ink supply incessantly;
6. Adopt the larger place of parking .It could cover the print head when don't working and protecting print head;
7. Use the paper pressing board. Protect print head effectively;
8. Adopt servo-motor drive system ,you wouldn't worry for grating;
9. Use liquid crystal operation board ,It is more convenient to operate;
10. Adopt interface technology PCI card, it can rip while

End of HRODC_SP2 - Solvent Printer Description



Start of HRODC_SP3 - Solvent Printer Description



General Description

MODEL	HRODC_SP3.1 HRODC_SP3.2	HRODC_SP3.3 HRODC_SP3.4
Print Tech	Piezo continuous drop-on demand(DOD)	
Print Head	4/8/12 XJ-128/200(+)dpi	
Print resolution	MAX.360×370dpi	
Printhead clearance	3mm□ 5mm off media	
Image size	2.50m/8.20ft	3.20m/10.49ft
Media size	2.55m/8.36ft	3.25m/10.66ft
Printing speed	HRODC_SP3.1 = 2pass 18sq.m/ h, 3pass 12sq.m/h, 4pass 9sq.m/h HRODC_SP3.2 / HRODC_SP3.3 = 2pass 36sq.m/h, 3pass 24sq.m/h, 4pass 18sq.m/h HRODC_SP3 = 2pass 50sq.m/ h, 3pass 33sq.m/h, 4pass 25sq.m/h	
Ink type	Solvent: C, M, Y, K	
Media type	PVC banner, Vinyl, Coating Film, Mesh and Etc	
Media transmission	Roll to Roll	
Interface	PCI high speed card	
Rip software	Photo Print or Color Print	
Heating system	Front and back heater equipped	
Auto.Feeding system	Equipped	
Auto.purging system	Equipped	
Auto.Take-up/dry system	Option	

Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.

8



MODEL	HRODC_SP3.1 HRODC_SP3.2	HRODC_SP3.3 HRODC_SP3.4
Packing Size(wxdxh)	3.70×0.78×0.78m (12.14*2.56*2.56ft)	4.37×0.78×0.78m (14.34*2.56*2.56ft)
G./Weight	337kg/743lbs	430kg/947lbs
Power requirement	110V/220V±10%,>10A,50/60HZ	
Environment	Temperature:20□ 25□,Humidity:40% 70%RH	

End of HRODC_SP3 - Solvent Printer Description

Additional Comments	NA
Authorised Signature	<i>Ms. Amani Abu Zeineh</i> Director - Business Development – HRODC Ltd.



Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.

