


HRODC Ltd.



HRODC Ltd QUOTATION



With Kindest Regards,



Prof. Dr. R. B. Crawford
Chief Executive



Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.



	<h1 style="text-align: center;">HRODC Ltd.</h1>	
<p>122A Bhylls Lane, Wolverhampton, WV3 8DZ, UK Telephone: +44 (0) 1902 763 607 Mobile: +44 (0) 7736 147507 Fax/Ph: +44 (0) 1902 569133 E-mail: consult@hrodc.com Webs: (1) http://www.hrodc.com (2) http://www.hrod-consultancy.com (3) http://hrodc-business-products-and-services.com</p>		<p>328 Linen Hall, 162-168 Regent Street, London. W1B 5TD, UK Telephone: +44 (0) 20 82657008 Fax/Phone: +44 (0) 20 84809628 Mobile: +44 (0) 7736 147507 E-mail: consult@hrodc.com Webs: (1) http://www.hrodc.com (2) http://www.hrod-consultancy.com (3) http://hrodc-business-products-and-services.com</p>
<h2>Human Resource and Organisational Development Consultancy (HRODC) Ltd.</h2>		

HRODC Ltd QUOTATION

To:	
Quotation #	
Req. Ref.	NA
Date Issued:	
Validity Period:	30 Days
Prepared By:	Ms. Amani Abu Zeineh
Number of Pages:	9

HRODC Ltd – Legal Parameter

Human Resource and Organisational Development Consultancy (HRODC) Ltd is Registered in England, with Registration Number 6088763. Its VAT Registration is: 8958 765 38. It is directly accountable to, and monitored by, several government agencies, including Companies House, an Executive Agency of the Department for Business, Enterprise and Regulatory Reform (BERR). All 'Offices' of HRODC Ltd, including National Representatives are subject to public scrutiny and transparency. Its Registered Office is 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK, with Office in London UK. It has National Representatives in Nigeria, Ghana, Cameroon, United Arab Emirates (UAE), Kingdom of Saudi Arabia, among others. Prof. Dr. R. B. Crawford, PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P. is its Chief Executive.

Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.



V.A.T. # 8958 765 38

Quotation

Column Number						
	1	2	3	4	5	6
Row No.	Product or Service	Product/ Service #	Short Description	Quantity	Unit Price	Total Cost
1.	Automatic Magnetic Tape Layer Applicator	HRODC_AMSA1	<ul style="list-style-type: none"> * Fully automatic digital magnetic tape applicator * Touch-screen Computer Control – PLC 	1	£53,750.00	£53,750.00
2.	Automatic Magnetic Tape Layer Applicator	HRODC_AMSA2	<ul style="list-style-type: none"> * Magnetic Tape Laying Machine * Accommodates coiled magnetic stripe * 	1	£68,250.00	£68,250.00
3.	Magnetic Tape Applicator Machine	HRODC_MSA1	<ul style="list-style-type: none"> * HRODC_MSA1 Magnetic Tape Applicator is an excellent device for mounting magnetic tapes on credit cards, bank cards loyalty cards. 	1	£18,125.00	£18,125.00
Subtotal		N/A				
Delivery		Free Port-To-Port International Delivery				
V.A.T. @17.5%		Europeans only				
Grand Total						
Payment Terms		<ol style="list-style-type: none"> 1. The prices, above, exclude delivery, installation and training. These costs will be advised at your request. 2. At least 50% of the cost of each machine, in excess of £20,000.00 requires a deposit of 50% by Telegraphic Transfer (TT) or bank counter credit, at the time of order. The remaining 50%, by Irrevocable Letter of Credit (ILC), is required one week before shipment of the complete item. 3. 100% of the cost of items of up to £20,000.00 is required at the time of order. 				
Currency Reconciliation Date:		November 23, 2008				



Product Description

Start of HRODC AMSA1 - Automatic Magnetic Tape Layer Applicator Description



Price: £53,750.00

General Description

- ◆ Fully automatic digital magnetic tape applicator
- ◆ Touch-screen Computer Control – PLC
- ◆ Simultaneous clamp-clip gripping of tape and card sheet Servo-motor operation, enhancing speed and precision
- ◆ Accommodates ‘magnetic tape-card attachment’

Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.

4



V.A.T. # 8958 765 38

- ◆ Facilitates ‘magnetic tape-film adhesion’
- ◆ Simultaneous ‘tape-attachment’ and ‘glue-welding’ operation
- ◆ Flexible sheet card size from > A3 to < A3
- ◆ Operational simplicity
- ◆ Accommodates small volume, as well as large volumes
- ◆ Hitch-free maintenance
- ◆ Robust operation
- ◆ High-precision magnetic tape application
- ◆ Automatic error alarm
- ◆ Adjustable welding position, time, and temperature settings
- ◆ Low-waste operation
- ◆ Power: AC 220V/50 HZ
- ◆ Total Power: 6.5 kw
- ◆ Air supply: 6 kg/cm²
- ◆ Machine Weight: 500 kg
- ◆ Control mode: PLC program+ servo system
- ◆ Welding Position Precision: $\pm 0.30\text{mm}$
- ◆ Worktable Plate Dimensions:
 - Length = 500 mm (A2 width-wise)
 - Width = 490 mm (A2 width-wise)
 - Overall = A3
- ◆ Machine Size:
 - Length = 1,350
 - Width = 780 mm
 - Height = 1650 mm

End of HRODC_AMSA1 - Automatic Magnetic Tape Layer Applicator Description



Start of HRODC_AMSA2 - Automatic Magnetic Tape Layer Applicator - Magnetic Tape Laying Machine Description



Price: £68,250.00

General Description

- ◆ Equipped with 'boiling hot technology'
- ◆ Accommodates coiled magnetic stripe
- ◆ Accommodated multiple-substrate films – PET, PVC, etc.
- ◆ Multi-substrate card sheets facilitated
- ◆ Dual application method – heat and pressurization
- ◆ Automatic mounting
- ◆ Automatic cutting
- ◆ Preset cutting length
- ◆ Automatic magnetic stripe foil recycling
- ◆ High Precision operation
- ◆ Operational stability
- ◆ Film thickness = 0.04-0.2mm
- ◆ Sheet thickness = 0.25-0.8mm

Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.

6



V.A.T. # 8958 765 38

Technical Specification

- ◆ PLC (computerised) program
- ◆ Touch panel operation
- ◆ Servo motor drive
- ◆ Speed control
- ◆ Film length adjuster
- ◆ Temperature adjustment control
- ◆ Pressure adjustment control
- ◆ Cylinder pressure adjustment
- ◆ Cylinder driven film punch motive


Additional Technical Specification

HRODC_AMSA2 - Automatic Magnetic Tape Layer Applicator	
Specifics	Values
Coil stock film	<ul style="list-style-type: none"> ■ 0.04-0.2mm inner diameter: 3inches ■ outer diameter < 20inches (500mm) ■ Maximum width:580mm
Maximum quantity of magnetic stripes	8
Moving speed	15,000 Cards Per Hour
Positional Accuracy	±0.2mm
Heating Power	3KW
Weight	500 KG
Dimension:	1600*900*1550mm

End of HRODC_AMSA2 - Automatic Magnetic Tape Layer Applicator - Magnetic Tape Laying Machine Description



Start of HRODC_MSA1- Magnetic Tape Applicator Machine Description



Price: £18,125.00

General Description

- ◆ HRODC_MSA1 Magnetic Tape Applicator is an excellent device for mounting magnetic tapes on credit cards, bank cards loyalty cards, entry cards, and SIM cards.
- ◆ Its simplified operation reduces training time and facilitates operational efficiency.
- ◆ Its built-in quality features contributes greatly towards the overall value-added feature of the card production operation
- ◆ While A4 is the standard sheet input size, it can also accommodate other smaller sheet sizes.
- ◆ It provides facility for magnetic tape rolls, facilitating a continuous magnetic tape application operation

Human Resource and Organisational Development Consultancy (HRODC) Ltd. Registered in England No. 6088763.

Registered Office: 122A Bhylls Lane, Castlecroft, Wolverhampton, West Midlands WV3 8DZ, UK

Prof. Dr. R. B. Crawford

PhD (London), MEd.M. (Bath), Adv. Dip. Ed. (Bristol), PGCIS (TVU), ITC (UWI), MAAM, MAOM, LESAN, MISGS. Visiting Prof. P.U.P.

Chief Executive & Chief Consultant – HRODC Ltd.

8



V.A.T. # 8958 765 38

Technical Specification

- Format: 2x5
- Sheet Input Size: 210mmx297mm (A4)
- Machine Weight: 18 kg
- Machine Dimensions:
 - Length = 420 mm
 - Width = 420 mm
 - Height = 300 mm

End of HRODC_MSA1 - Magnetic Tape Applicator Machine Description

Additional Comments	NA
Authorised Signature	<p>Ms. Amani Abu Zeineh <i>Amani Abu Zeineh</i> Director - Business Development – HRODC Ltd.</p>

